ELSEVIER

Journal of Organometallic Chemistry 542 (1997) 299–300

Journal of Organometallic Chemistry

Author Index of Volume 542,

Adams, H., Bailey, N.A., Bancroft, M.N., Bisson, A.P. and Morris, M.J., Phosphido-bridged dimolybdenum complexes with sulfide and thiolate ligands as precursors to mixed-metal clusters, 131

Ahmed, S.Z., Glidewell, C. and Lightfoot, P., Oxidation of ferrocenyl ketones using selenium(IV) oxide: Crystal and molecular structures of racemic 2,3-diferrocenyl-1,4-diphenylbutane-1,4-dione, racemic and meso 2,3-diferrocenyl-1,4-bis(4-biphenylyl)butane-1,4-dione, and ferrocenylmethyl(4-biphenylyl)ketone, 81

Amelunxen, K., see Wiberg, N. 1

Amouri, H., see El Hafa, H. 209

Askenazi, N., see Stanger, A. 19

Bailey, N.A., see Adams, H. 131

Bancroft, M.N., see Adams, H. 131

Barriola, A.M., Cano, A.M., Cuenca, T., Fernández, F.J., Gómez-Sal, P., Manzanero, A. and Royo, P., Insertion of isocyanides into zirconium–alkyl bonds of di-*ansa*-zirconocene complexes. X-ray molecular structure of $[Zr\{(SiMe_2)_2(\eta^5\text{-}C_5H_3)_2\}\text{-}Cl\{\eta^2\text{-}C(i\text{-}Pr)N(2,6\text{-}Me_2C_6H_3)\}]$, 247

Beck, W., see Geisbauer, A. 205

Bellina, F., see Rossi, R. 113

Bisson, A.P., see Adams, H. 131

Boese, R., see Stanger, A. 19

Brunner, H., Faustmann, P., Dietl, A. and Nuber, B., Optically active transition metal compounds 112. Synthesis of chiral carbonylnitrosylcobalt complexes with bidentate PP*, PN* and NN* ligands, 255

Burchat, A.F., Chong, J.M. and Nielsen, N., Titration of alkyllithiums with a simple reagent to a blue endpoint, 281

Burlakov, V.V., Yanovsky, A.I., Struchkov, Yu.T., Rosenthal, U., Spannenberg, A., Kempe, R., Ellert, O.G. and Shur, V.B., Interaction of carbon dioxide with acetylene complexes of titanocene $Cp_2Ti(RC_2R)$ (R = Ph, $SiMe_3$). Synthesis and structure of binuclear σ-alkenylcarboxylate complexes of titanium (III) $Cp_2TiC(R)=C(R)\text{-}COOTiCp_2$ and unexpected transformation of these complexes into titanafuranone metallacycles under the action of air oxygen, 105

Cano, A.M., see Barriola, A.M. 247

Choi, Y.-Y. and Wong, W.-T., Synthesis, characterization and crystal structures of a series of tetraosmium carbonyl clusters containing bidentate phosphine ligands, 121

Chong, J.M., see Burchat, A.F. 281

Ciucci, D., see Rossi, R. 113

Cuenca, T., see Barriola, A.M. 247

Dabirmanesh, Q. and Roberts, R.M.G., The application of microwave dielectric heating to the synthesis of arene–metal complexes. Synthesis of $[(\eta\text{-arene})(CO)_3Mn]PF_6$ complexes and $[(\eta\text{-arene})(\eta\text{-cyclopentadienyl})Fe][PF_6]$ complexes with triphenylphosphine, *tert*-butylbenzenes and a sterically hindered phenol as arene ligands, 99

Dietl, A., see Brunner, H. 255

Diez-Barra, E., Fernández-Baeza, J., Kubicki, M.M., Lara-Sánchez, A., Otero, A., Poujaud, N. and Tejeda, J., Phosphorus ylide niobium complexes; synthesis and characterization of the first α-keto ylide complexes, $[\{NbCl_3(ylide\text{-}O,N)\}_2]$ and $[NbCl_3\text{-}(ylide\text{-}O,N)(RC{\equiv}CR')]$ (ylide = [{2-thiazolylcarbonyl}methylene]triphenylphosphorane, $NOSC_4H_2CH\text{–}PPh_3$). Molecular structure of $[NbCl_3(NOSC_4H_2CHPPh_3\text{-}O,N)(PhC{\equiv}CPr)]$ (Ph = phenyl, Pr = propyl), 291

Duboudin, J.-G., see Meurice, J.-C. 67

El Amane, M., see El Hafa, H. 209

El Hafa, H., Rager, M.N., Vaissermann, J., El Amane, M., Razzouk, H., Amouri, H. and Gruselle, M., Charge stabilization in cationic anthronyl-substituted alkynes: synthesis, characterization and X-ray molecular structures of M_2L_6. Complexed alkynyl-substituted C10-anthrone $[M_2L_6(\mu,\eta^2,\eta^2\text{-}R^2C{\equiv}C\text{–}C(OR^1)(C_{13}H_8O))]$ (M_2L_6 = $Co_2(CO)_6$, $MoCoCp(CO)_5$), 209

Ellert, O.G., see Burlakov, V.V. 105

Ellmerer-Müller, E., see Peter, M. 227

Erker, G., see Steinhorst, A. 191

Espino Lizarraga, M., Navarro, R. and Urriolabeitia, E.P., Synthesis and characterization of dinuclear complexes of Pd^{II} containing the $(\mu\text{-N–C–S})_2$ skeleton, 51

Faustmann, P., see Brunner, H. 255

Fernández-Baeza, J., see Diez-Barra, E. 291

Fernández, F.J., see Barriola, A.M. 247

Filippou, A.C., Winter, J.G., Kociok-Köhn, G. and Hinz, I., Insertion of $GeCl_2$ into group VI transition metal–chlorine bonds: synthesis, spectroscopy and structure of molybdenum and tungsten trichlorogermyl complexes, 35

Fröhlich, R., see Steinhorst, A. 191

Geisbauer, A., Polborn, K. and Beck, W., Kohlenwasserstoffverbrückte Metallkomplexe XXXVIII. Verbrückte Bis(carben)-Komplexe $(OC)_5M{=}C(OMe)\text{–}C(H){=}C\text{-}O\text{-}C(O)\text{-}CH\text{–}CH_2\text{–}C(OMe){=}M(CO)_5$ (M = Cr, W) aus anionischen Carbenkomplexen vom Fischer-Typ und Fumarsäuredichlorid, 205

Ghose, S., see Mathur, P. 265

Glidewell, C., see Ahmed, S.Z. 81

Gómez-Sal, P., see Barriola, A.M. 247

Grehl, M., see Steinhorst, A. 191

Gruselle, M., see El Hafa, H. 209

Harrison, P.G., Silicate cages: precursors to new materials, 141

Hayashi, H., see Mochida, K. 75

Hayashi, Y., Osawa, M. and Wakatsuki, Y., Reductive coupling reaction induced by remote-site oxidation in titanocene bis(metallocenylacetylide), where metallocenyl = ferrocenyl or ruthenocenyl: a novel route to C_n (n = 4, 6, and 8) wire with the metallocenyl groups at both terminals, 241

Heine, A. and Stalke, D., Lithium tetrahydroborate diethyl ether solvate $[Et_2O \cdot LiBH_4]_\infty$, a structure which consists of polymeric ribbons and contains μ_4-hydrogen atoms, 25

Hendrickx, E., Persoons, A., Samson, S. and Stephenson, G.R., Nonlinear optical properties in bimetallic monocation π-complexes of iron, 295

Hinz, I., see Filippou, A.C. 35

Hitchcock, P.B., see Mathur, P. 265

Hori, A., see Nakashima, S. 271

Hossain, Md..M., see Mathur, P. 265

Elsevier Science S.A.

Kawana, M., Nakamura, S., Watanabe, E. and Urata, H., Hydroesterification of ethylene catalyzed by Pd(II) complexes: an ab initio MO study, 185
Kawata, H., see Mochida, K. 75
Kempe, R., see Burlakov, V.V. 105
Kociok-Köhn, G., see Filippou, A.C. 35
Krossing, I., see Wiberg, N. 1
Kubicki, M.M., see Diez-Barra, E. 291
Kwak, Y.-W. and Lee, K.-K., Generation and reactivities of ethylmethoxysilylene, 219

Lara-Sánchez, A., see Diez-Barra, E. 291
Lee, K.-K., see Kwak, Y.-W. 219
Lerner, H.-W., see Wiberg, N. 1
Leung, P.-H., see Selvaratnam, S. 61
Lightfoot, P., see Ahmed, S.Z. 81
Liu, Z., see Xie, Z. 285
Luo, Y., see Miller, J.M. 89

Mak, T.C.W., see Xie, Z. 285
Manzanero, A., see Barriola, A.M. 247
Mathur, P., Ghose, S., Hossain, Md..M., Hitchcock, P.B. and Nixon, J.F., Synthesis and structural characterisation of *trans*-$Cp_2Mo_2O_2(\mu\text{-}O)(\mu\text{-}Te)$ and *cis*-$Cp_2Mo_2O_2(\mu\text{-}O)(\mu\text{-}S)$, 265
Meurice, J.-C., Vallier, M., Ratier, M., Duboudin, J.-G. and Pétraud, M., On the chemospecificity of the double stannylation and double hydrostannation of terminal alkynes by the tributylstannane in the presence of thiol, 67
Miller, J.M., Luo, Y. and Wharf, I., Studies in aryltin chemistry. Part 11. The effects of substituent type and position on the disintegration patterns in the mass spectra of Ar_4Sn and Ar_3SnX compounds, 89
Mochida, K., Nagano, S.-s., Kawata, H., Wakasa, M. and Hayashi, H., Photodegradation of thin films of polygermanes, 75
Morris, M.J., see Adams, H. 131
Motoyama, I., see Nakashima, S. 271

Nagano, S.-s., see Mochida, K. 75
Nakamura, S., see Kawana, M. 185
Nakashima, S., Hori, A., Sakai, H., Watanabe, M. and Motoyama, I., ^{57}Fe Mössbauer spectra and X-ray structural analyses of iodide salts for 1′,1‴-bis(α- and β-naphthylmethyl)-1,1″-biferrocenes, 271
Navarro, R., see Espino Lizarraga, M. 51
Nielsen, N., see Burchat, A.F. 281
Nixon, J.F., see Mathur, P. 265
Nöth, H., see Wiberg, N. 1
Nuber, B., see Brunner, H. 255

Ongania, K.-H., see Peter, M. 227
Osawa, M., see Hayashi, Y. 241
Otero, A., see Diez-Barra, E. 291

Peringer, P., see Peter, M. 227
Persoons, A., see Hendrickx, E. 295
Peter, M., Wachtler, H., Ellmerer-Müller, E., Ongania, K.-H., Wurst, K. and Peringer, P., Synthesis and NMR spectroscopy of $[PtH_3(triphos)]^+$ and $[Pt(AuPPh_3)_3(triphos)]^+$. Crystal structure of $[Pt(AuPPh_3)_3(triphos)]^+$ (triphos = $CH_3C(CH_2PPh_2)_3$), 227
Pétraud, M., see Meurice, J.-C. 67
Polborn, K., see Geisbauer, A. 205
Poujaud, N., see Diez-Barra, E. 291

Rager, M.N., see El Hafa, H. 209
Ratier, M., see Meurice, J.-C. 67
Razzouk, H., see El Hafa, H. 209
Roberts, R.M.G., see Dabirmanesh, Q. 99
Rosenthal, U., see Burlakov, V.V. 105
Rossi, R., Bellina, F. and Ciucci, D., Preparation of 3-oxo-2-cyclohexen-2-ylzinc iodides and their palladium-mediated reactions with aryl or alkenyl halides, 113
Royo, P., see Barriola, A.M. 247

Sakai, H., see Nakashima, S. 271
Samson, S., see Hendrickx, E. 295
Schmidt-Amelunxen, M., see Wiberg, N. 1
Schuster, H., see Wiberg, N. 1
Seifert, T., see Wiberg, N. 1
Selvaratnam, S., Leung, P.-H., White, A.J.P. and Williams, D.J., Synthesis and absolute stereochemistry of an organo-palladium complex containing a P-chiral diphosphine ligand, 61
Shur, V.B., see Burlakov, V.V. 105
Spannenberg, A., see Burlakov, V.V. 105
Stalke, D., see Heine, A. 25
Stanger, A., Boese, R., Askenazi, N. and Stellberg, P., Evidence for metal induced bond localization in cyclobutabenzenes: the crystal and molecular structures of η^6-$Cr(CO)_3$ and η^4-$Fe(CO)_3$ complexes of cyclobutabenzene, 19
Steinhorst, A., Erker, G., Grehl, M. and Fröhlich, R., Group 4 ansa-metallocene Ziegler catalysts derived from trans-1,2-cycloalkylene-bis(indenyl)- and -bis(tetrahydroindenyl)MCl_2 systems: structural and reactivity studies, 191
Stellberg, P., see Stanger, A. 19
Stephenson, G.R., see Hendrickx, E. 295
Struchkov, Yu.T., see Burlakov, V.V. 105

Tejeda, J., see Diez-Barra, E. 291

Urata, H., see Kawana, M. 185
Urriolabeitia, E.P., see Espino Lizarraga, M. 51

Vaissermann, J., see El Hafa, H. 209
Vallier, M., see Meurice, J.-C. 67

Wachtler, H., see Peter, M. 227
Wakasa, M., see Mochida, K. 75
Wakatsuki, Y., see Hayashi, Y. 241
Watanabe, E., see Kawana, M. 185
Watanabe, M., see Nakashima, S. 271
Weinberg, J.M. and Wooley, K.L., The investigation of a transsilylation reaction for the preparation of silyl esters: reactivity correlated with ^{29}Si NMR resonance frequencies, 235
Wharf, I., see Miller, J.M. 89
White, A.J.P., see Selvaratnam, S. 61
Wiberg, N., Amelunxen, K., Lerner, H.-W., Schuster, H., Nöth, H., Krossing, I., Schmidt-Amelunxen, M. and Seifert, T., Donorfreie und donorhaltige Supersilylalkalimetalle $^tBu_3SiM$: Synthesen, Charakterisierung, Strukturen, 1
Williams, D.J., see Selvaratnam, S. 61
Winter, J.G., see Filippou, A.C. 35
Wong, T.-S., see Wong, W.-T. 29
Wong, W.-T. and Wong, T.-S., Synthesis and molecular structure of the triosmium carbonyl cluster $[Os_3(CO)_{10}\{\mu\text{-}N(H)(C_5H_3NBr)\}\{\mu\text{-}N(C_{10}H_{13}NO)\}]$, containing two types of amido ligands, 29
Wong, W.-T., see Choi, Y.-Y. 121
Wooley, K.L., see Weinberg, J.M. 235
Wurst, K., see Peter, M. 227

Xie, Z., Liu, Z., Xue, F., Zhang, Z. and Mak, T.C.W., Synthesis and X-ray crystal structure of bis[η^5-1,3-bis(trimethylsilyl)-cyclopentadienyl] lanthanide and yttrium iodide complexes, 285
Xue, F., see Xie, Z. 285

Yanovsky, A.I., see Burlakov, V.V. 105

Zhang, Z., see Xie, Z. 285

ELSEVIER

Journal of Organometallic Chemistry 542 (1997) 301–303

Journal of Organometallic Chemistry

Subject Index of Volume 542

Ab initio MO
Hydroesterification of ethylene catalyzed by Pd(II) complexes: an ab initio MO study (M. Kawana, S. Nakamura, E. Watanabe and H. Urata), 185
Absolute stereochemistry
Synthesis and absolute stereochemistry of an organo-palladium complex containing a P-chiral diphosphine ligand (S. Selvaratnam, P.-H. Leung, A.J.P. White and D.J. Williams), 61
Acetylene complexes
Interaction of carbon dioxide with acetylene complexes of titanocene $Cp_2Ti(RC_2R)$ (R = Ph, $SiMe_3$). Synthesis and structure of binuclear σ-alkenylcarboxylate complexes of titanium (III) $Cp_2TiC(R)=C(R)COOTiCp_2$ and unexpected transformation of these complexes into titanafuranone metallacycles under the action of air oxygen (V.V. Burlakov, A.I. Yanovsky, Yu.T. Struchkov, U. Rosenthal, A. Spannenberg, R. Kempe, O.G. Ellert and V.B. Shur), 105
Acid–base reaction
Donorfreie und donorhaltige Supersilylalkalimetalle $^tBu_3SiM$: Synthesen, Charakterisierung, Strukturen (N. Wiberg, K. Amelunxen, H.-W. Lerner, H. Schuster, H. Nöth, I. Krossing, M. Schmidt-Amelunxen und T. Seifert), 1
Alkaline Metals
Donorfreie und donorhaltige Supersilylalkalimetalle $^tBu_3SiM$: Synthesen, Charakterisierung, Strukturen (N. Wiberg, K. Amelunxen, H.-W. Lerner, H. Schuster, H. Nöth, I. Krossing, M. Schmidt-Amelunxen und T. Seifert), 1
Ansa-metallocene dichloride structures
Group 4 ansa-metallocene Ziegler catalysts derived from trans-1,2-cycloalkylene-bis(indenyl)- and -bis(tetrahydroindenyl)MCl_2 systems: structural and reactivity studies (A. Steinhorst, G. Erker, M. Grehl and R. Fröhlich), 191
Ansa-metallocenes
Group 4 ansa-metallocene Ziegler catalysts derived from trans-1,2-cycloalkylene-bis(indenyl)- and -bis(tetrahydroindenyl)MCl_2 systems: structural and reactivity studies (A. Steinhorst, G. Erker, M. Grehl and R. Fröhlich), 191
Bimetallic dipoles
Nonlinear optical properties in bimetallic monocation π-complexes of iron (E. Hendrickx, A. Persoons, S. Samson and G.R. Stephenson), 295
Binuclear ferrocene derivatives
^{57}Fe Mössbauer spectra and X-ray structural analyses of iodide salts for 1′,1‴-bis(α- and β-naphthylmethyl)-1,1″-biferrocenes (S. Nakashima, A. Hori, H. Sakai, M. Watanabe and I. Motoyama), 271
Bis(carbene)complexes
Kohlenwasserstoffverbrückte Metallkomplexe XXXVIII. Verbrückte Bis(carben)-Komplexe $(OC)_5M=C(OMe)-C(H)=C(-CH_2-)-O-C(O)-CH-CH_2-C(OMe)=M(CO)_5$ (M = Cr, W) aus anionischen Carbenkomplexen vom Fischer-Typ und Fumarsäuredichlorid (A. Geisbauer, K. Polborn and W. Beck), 205
Carbon dioxide
Interaction of carbon dioxide with acetylene complexes of titanocene $Cp_2Ti(RC_2R)$ (R = Ph, $SiMe_3$). Synthesis and structure of binuclear σ-alkenylcarboxylate complexes of titanium (III) $Cp_2TiC(R)=C(R)COOTiCp_2$ and unexpected transformation of these complexes into titanafuranone metallacycles under the action of air oxygen (V.V. Burlakov, A.I. Yanovsky, Yu.T. Struchkov, U. Rosenthal, A. Spannenberg, R. Kempe, O.G. Ellert and V.B. Shur), 105
Chiral diphosphine
Synthesis and absolute stereochemistry of an organo-palladium complex containing a P-chiral diphosphine ligand (S. Selvaratnam, P.-H. Leung, A.J.P. White and D.J. Williams), 61
Chirality
Optically active transition metal compounds 112. Synthesis of chiral carbonylnitrosylcobalt complexes with bidentate PP*, PN* and NN* ligands (H. Brunner, P. Faustmann, A. Dietl and B. Nuber), 255
Chromium
Kohlenwasserstoffverbrückte Metallkomplexe XXXVIII. Verbrückte Bis(carben)-Komplexe $(OC)_5M=C(OMe)-C(H)=C(-CH_2-)-O-C(O)-CH-CH_2-C(OMe)=M(CO)_5$ (M = Cr, W) aus anionischen Carbenkomplexen vom Fischer-Typ und Fumarsäuredichlorid (A. Geisbauer, K. Polborn and W. Beck), 205
Cobalt(carbonyl)(nitrosyl) complexes
Optically active transition metal compounds 112. Synthesis of chiral carbonylnitrosylcobalt complexes with bidentate PP*, PN* and NN* ligands (H. Brunner, P. Faustmann, A. Dietl and B. Nuber), 255
Crystal structure
Synthesis and absolute stereochemistry of an organo-palladium complex containing a P-chiral diphosphine ligand (S. Selvaratnam, P.-H. Leung, A.J.P. White and D.J. Williams), 61
Synthesis and X-ray crystal structure of bis[η^5-1,3-bis(trimethylsilyl)cyclopentadienyl] lanthanide and yttrium iodide complexes (Z. Xie, Z. Liu, F. Xue, Z. Zhang and T.C.W. Mak), 285
Cyclopentadienyl
Synthesis and X-ray crystal structure of bis[η^5-1,3-bis(trimethylsilyl)cyclopentadienyl] lanthanide and yttrium iodide complexes (Z. Xie, Z. Liu, F. Xue, Z. Zhang and T.C.W. Mak), 285
Dicyclopentadienyl
Insertion of isocyanides into zirconium–alkyl bonds of di-*ansa*-zirconocene complexes. X-ray molecular structure of [Zr{$(SiMe_2)_2(\eta^5-C_5H_3)_2$}Cl{$\eta^2$-C(i-Pr)N(2,6-$Me_2C_6H_3$)}] (A.M. Barriola, A.M. Cano, T. Cuenca, F.J. Fernández, P. Gómez-Sal, A. Manzanero and P. Royo), 247
Dinuclear
Synthesis and characterization of dinuclear complexes of Pd^{II} containing the (μ-N–C–S)$_2$ skeleton (M. Espino Lizarraga, R. Navarro and E.P. Urriolabeitia), 51

Elsevier Science S.A.

Donors
Donorfreie und donorhaltige Supersilylalkalimetalle $^tBu_3SiM$: Synthesen, Charakterisierung, Strukturen (N. Wiberg, K. Amelunxen, H.-W. Lerner, H. Schuster, H. Nöth, I. Krossing, M. Schmidt-Amelunxen und T. Seifert), 1
Double hydrostannation
On the chemospecificity of the double stannylation and double hydrostannation of terminal alkynes by the tributylstannane in the presence of thiol (J.-C. Meurice, M. Vallier, M. Ratier, J.-G. Duboudin and M. Pétraud), 67
Double stannylation
On the chemospecificity of the double stannylation and double hydrostannation of terminal alkynes by the tributylstannane in the presence of thiol (J.-C. Meurice, M. Vallier, M. Ratier, J.-G. Duboudin and M. Pétraud), 67
^{57}Fe Mössbauer spectroscopy
^{57}Fe Mössbauer spectra and X-ray structural analyses of iodide salts for 1′,1‴-bis(α- and β-naphthylmethyl)-1,1″-biferrocenes (S. Nakashima, A. Hori, H. Sakai, M. Watanabe and I. Motoyama), 271
Ferrocene
Nonlinear optical properties in bimetallic monocation π-complexes of iron (E. Hendrickx, A. Persoons, S. Samson and G.R. Stephenson), 295
Germanium
Insertion of $GeCl_2$ into group VI transition metal–chlorine bonds: synthesis, spectroscopy and structure of molybdenum and tungsten trichlorogermyl complexes (A.C. Filippou, J.G. Winter, G. Kociok-Köhn and I. Hinz), 35
Halide exchange
Synthesis and X-ray crystal structure of bis[η^5-1,3-bis(trimethylsilyl)cyclopentadienyl] lanthanide and yttrium iodide complexes (Z. Xie, Z. Liu, F. Xue, Z. Zhang and T.C.W. Mak), 285
Homolysis
Photodegradation of thin films of polygermanes (K. Mochida, S.-s. Nagano, H. Kawata, M. Wakasa and H. Hayashi), 75
Hydroesterification
Hydroesterification of ethylene catalyzed by Pd(II) complexes: an ab initio MO study (M. Kawana, S. Nakamura, E. Watanabe and H. Urata), 185
Iminoacyl
Insertion of isocyanides into zirconium–alkyl bonds of di-*ansa*-zirconocene complexes. X-ray molecular structure of [Zr-{$(SiMe_2)_2(\eta^5\text{-}C_5H_3)_2$}Cl{$\eta^2$-C(i-Pr)N(2,6-$Me_2C_6H_3$)}] (A.M. Barriola, A.M. Cano, T. Cuenca, F.J. Fernández, P. Gómez-Sal, A. Manzanero and P. Royo), 247
Insertion
Insertion of $GeCl_2$ into group VI transition metal–chlorine bonds: synthesis, spectroscopy and structure of molybdenum and tungsten trichlorogermyl complexes (A.C. Filippou, J.G. Winter, G. Kociok-Köhn and I. Hinz), 35
Isotactic polypropylene
Group 4 ansa-metallocene Ziegler catalysts derived from trans-1,2-cycloalkylene-bis(indenyl)- and -bis(tetrahydroindenyl)MCl_2 systems: structural and reactivity studies (A. Steinhorst, G. Erker, M. Grehl and R. Fröhlich), 191
Laser flash photolysis
Photodegradation of thin films of polygermanes (K. Mochida, S.-s. Nagano, H. Kawata, M. Wakasa and H. Hayashi), 75
Mass spectrum
Studies in aryltin chemistry. Part 11. The effects of substituent type and position on the disintegration patterns in the mass spectra of Ar_4Sn and Ar_3SnX compounds (J.M. Miller, Y. Luo and I. Wharf), 89
Mixed-valence state
^{57}Fe Mössbauer spectra and X-ray structural analyses of iodide salts for 1′,1‴-bis(α- and β-naphthylmethyl)-1,1″-biferrocenes (S. Nakashima, A. Hori, H. Sakai, M. Watanabe and I. Motoyama), 271
Molybdenum
Insertion of $GeCl_2$ into group VI transition metal–chlorine bonds: synthesis, spectroscopy and structure of molybdenum and tungsten trichlorogermyl complexes (A.C. Filippou, J.G. Winter, G. Kociok-Köhn and I. Hinz), 35
Synthesis and structural characterisation of *trans*-$Cp_2Mo_2O_2(\mu\text{-}O)(\mu\text{-}Te)$ and *cis*-$Cp_2Mo_2O_2(\mu\text{-}O)(\mu\text{-}S)$ (P. Mathur, S. Ghose, Md..M. Hossain, P.B. Hitchcock and J.F. Nixon), 265
NOESY
Synthesis and characterization of dinuclear complexes of Pd^{II} containing the $(\mu\text{-}N\text{–}C\text{–}S)_2$ skeleton (M. Espino Lizarraga, R. Navarro and E.P. Urriolabeitia), 51
Nonlinear optics
Nonlinear optical properties in bimetallic monocation π-complexes of iron (E. Hendrickx, A. Persoons, S. Samson and G.R. Stephenson), 295
N,S-bridging ligands
Synthesis and characterization of dinuclear complexes of Pd^{II} containing the $(\mu\text{-}N\text{–}C\text{–}S)_2$ skeleton (M. Espino Lizarraga, R. Navarro and E.P. Urriolabeitia), 51
Nucleophilic substitution
Donorfreie und donorhaltige Supersilylalkalimetalle $^tBu_3SiM$: Synthesen, Charakterisierung, Strukturen (N. Wiberg, K. Amelunxen, H.-W. Lerner, H. Schuster, H. Nöth, I. Krossing, M. Schmidt-Amelunxen und T. Seifert), 1
Organolanthanide
Synthesis and X-ray crystal structure of bis[η^5-1,3-bis(trimethylsilyl)cyclopentadienyl] lanthanide and yttrium iodide complexes (Z. Xie, Z. Liu, F. Xue, Z. Zhang and T.C.W. Mak), 285
Ortho-metallated
Synthesis and characterization of dinuclear complexes of Pd^{II} containing the $(\mu\text{-}N\text{–}C\text{–}S)_2$ skeleton (M. Espino Lizarraga, R. Navarro and E.P. Urriolabeitia), 51
Oxo
Synthesis and structural characterisation of *trans*-$Cp_2Mo_2O_2(\mu\text{-}O)(\mu\text{-}Te)$ and *cis*-$Cp_2Mo_2O_2(\mu\text{-}O)(\mu\text{-}S)$ (P. Mathur, S. Ghose, Md..M. Hossain, P.B. Hitchcock and J.F. Nixon), 265
Palladium
Synthesis and characterization of dinuclear complexes of Pd^{II} containing the $(\mu\text{-}N\text{–}C\text{–}S)_2$ skeleton (M. Espino Lizarraga, R. Navarro and E.P. Urriolabeitia), 51
Palladium catalysis
Preparation of 3-oxo-2-cyclohexen-2-ylzinc iodides and their palladium-mediated reactions with aryl or alkenyl halides (R. Rossi, F. Bellina and D. Ciucci), 113
Palladium(II)
Synthesis and absolute stereochemistry of an organo-palladium complex containing a P-chiral diphosphine ligand (S. Selvaratnam, P.-H. Leung, A.J.P. White and D.J. Williams), 61
Pd–H
Hydroesterification of ethylene catalyzed by Pd(II) complexes: an ab initio MO study (M. Kawana, S. Nakamura, E. Watanabe and H. Urata), 185
Pd(II)
Hydroesterification of ethylene catalyzed by Pd(II) complexes: an ab initio MO study (M. Kawana, S. Nakamura, E. Watanabe and H. Urata), 185
Photodegradation
Photodegradation of thin films of polygermanes (K. Mochida, S.-s. Nagano, H. Kawata, M. Wakasa and H. Hayashi), 75

Polyfunctional organozinc derivatives
Preparation of 3-oxo-2-cyclohexen-2-ylzinc iodides and their palladium-mediated reactions with aryl or alkenyl halides (R. Rossi, F. Bellina and D. Ciucci), 113
Polygermane
Photodegradation of thin films of polygermanes (K. Mochida, S.-s. Nagano, H. Kawata, M. Wakasa and H. Hayashi), 75
Propargylic compounds
On the chemospecificity of the double stannylation and double hydrostannation of terminal alkynes by the tributylstannane in the presence of thiol (J.-C. Meurice, M. Vallier, M. Ratier, J.-G. Duboudin and M. Pétraud), 67
Propene polymerization
Group 4 ansa-metallocene Ziegler catalysts derived from trans-1,2-cycloalkylene-bis(indenyl)- and -bis(tetrahydroindenyl)MCl_2 systems: structural and reactivity studies (A. Steinhorst, G. Erker, M. Grehl and R. Fröhlich), 191
Redox reaction
Donorfreie und donorhaltige Supersilylalkalimetalle $^tBu_3SiM$: Synthesen, Charakterisierung, Strukturen (N. Wiberg, K. Amelunxen, H.-W. Lerner, H. Schuster, H. Nöth, I. Krossing, M. Schmidt-Amelunxen und T. Seifert), 1
Silyl ester
The investigation of a transsilylation reaction for the preparation of silyl esters: reactivity correlated with ^{29}Si NMR resonance frequencies (J.M. Weinberg and K.L. Wooley), 235
^{29}Si NMR
The investigation of a transsilylation reaction for the preparation of silyl esters: reactivity correlated with ^{29}Si NMR resonance frequencies (J.M. Weinberg and K.L. Wooley), 235
2-Substituted 2-cyclohexen-1-ones
Preparation of 3-oxo-2-cyclohexen-2-ylzinc iodides and their palladium-mediated reactions with aryl or alkenyl halides (R. Rossi, F. Bellina and D. Ciucci), 113
Sulphur
Synthesis and structural characterisation of *trans*-$Cp_2Mo_2O_2(\mu\text{-}O)(\mu\text{-}Te)$ and *cis*-$Cp_2Mo_2O_2(\mu\text{-}O)(\mu\text{-}S)$ (P. Mathur, S. Ghose, Md..M. Hossain, P.B. Hitchcock and J.F. Nixon), 265
Supersilyl anion $^tBu_3Si^-$
Donorfreie und donorhaltige Supersilylalkalimetalle $^tBu_3SiM$: Synthesen, Charakterisierung, Strukturen (N. Wiberg, K. Amelunxen, H.-W. Lerner, H. Schuster, H. Nöth, I. Krossing, M. Schmidt-Amelunxen und T. Seifert), 1
Tellurium
Synthesis and structural characterisation of *trans*-$Cp_2Mo_2O_2(\mu\text{-}O)(\mu\text{-}Te)$ and *cis*-$Cp_2Mo_2O_2(\mu\text{-}O)(\mu\text{-}S)$ (P. Mathur, S. Ghose, Md..M. Hossain, P.B. Hitchcock and J.F. Nixon), 265
Thiols
On the chemospecificity of the double stannylation and double hydrostannation of terminal alkynes by the tributylstannane in the presence of thiol (J.-C. Meurice, M. Vallier, M. Ratier, J.-G. Duboudin and M. Pétraud), 67
Tin
Studies in aryltin chemistry. Part 11. The effects of substituent type and position on the disintegration patterns in the mass spectra of Ar_4Sn and Ar_3SnX compounds (J.M. Miller, Y. Luo and I. Wharf), 89
Titanium
Interaction of carbon dioxide with acetylene complexes of titanocene $Cp_2Ti(RC_2R)$ (R = Ph, $SiMe_3$). Synthesis and structure of binuclear σ-alkenylcarboxylate complexes of titanium (III) $Cp_2TiC(R)=C(R)COOTiCp_2$ and unexpected transformation of these complexes into titanafuranone metallacycles under the action of air oxygen (V.V. Burlakov, A.I. Yanovsky, Yu.T. Struchkov, U. Rosenthal, A. Spannenberg, R. Kempe, O.G. Ellert and V.B. Shur), 105
Transsilylation
The investigation of a transsilylation reaction for the preparation of silyl esters: reactivity correlated with ^{29}Si NMR resonance frequencies (J.M. Weinberg and K.L. Wooley), 235
Tricarbonyliron
Nonlinear optical properties in bimetallic monocation π-complexes of iron (E. Hendrickx, A. Persoons, S. Samson and G.R. Stephenson), 295
Trichlorogermyl complexes
Insertion of $GeCl_2$ into group VI transition metal–chlorine bonds: synthesis, spectroscopy and structure of molybdenum and tungsten trichlorogermyl complexes (A.C. Filippou, J.G. Winter, G. Kociok-Köhn and I. Hinz), 35
Tungsten
Insertion of $GeCl_2$ into group VI transition metal–chlorine bonds: synthesis, spectroscopy and structure of molybdenum and tungsten trichlorogermyl complexes (A.C. Filippou, J.G. Winter, G. Kociok-Köhn and I. Hinz), 35
Kohlenwasserstoffverbrückte Metallkomplexe XXXVIII. Verbrückte Bis(carben)-Komplexe $(OC)_5M=C(OMe)-C(H)=\overset{\frown CH_2 \frown}{C\text{-}O\text{-}C(O)\text{-}CH-CH_2}-C(OMe)=M(CO)_5$ (M = Cr, W) aus anionischen Carbenkomplexen vom Fischer-Typ und Fumarsäuredichlorid (A. Geisbauer, K. Polborn and W. Beck), 205
X-ray structural analysis
^{57}Fe Mössbauer spectra and X-ray structural analyses of iodide salts for 1′,1‴-bis(α- and β-naphthylmethyl)-1,1″-biferrocenes (S. Nakashima, A. Hori, H. Sakai, M. Watanabe and I. Motoyama), 271
X-ray structure analyses
Donorfreie und donorhaltige Supersilylalkalimetalle $^tBu_3SiM$: Synthesen, Charakterisierung, Strukturen (N. Wiberg, K. Amelunxen, H.-W. Lerner, H. Schuster, H. Nöth, I. Krossing, M. Schmidt-Amelunxen und T. Seifert), 1
X-ray structure analysis
Optically active transition metal compounds 112. Synthesis of chiral carbonylnitrosylcobalt complexes with bidentate PP^*, PN^* and NN^* ligands (H. Brunner, P. Faustmann, A. Dietl and B. Nuber), 255
Ziegler catalysts
Group 4 ansa-metallocene Ziegler catalysts derived from trans-1,2-cycloalkylene-bis(indenyl)- and -bis(tetrahydroindenyl)MCl_2 systems: structural and reactivity studies (A. Steinhorst, G. Erker, M. Grehl and R. Fröhlich), 191
Zinc
Preparation of 3-oxo-2-cyclohexen-2-ylzinc iodides and their palladium-mediated reactions with aryl or alkenyl halides (R. Rossi, F. Bellina and D. Ciucci), 113
Zirconium
Insertion of isocyanides into zirconium–alkyl bonds of di-*ansa*-zirconocene complexes. X-ray molecular structure of $[Zr\{(SiMe_2)_2(\eta^5\text{-}C_5H_3)_2\}Cl\{\eta^2\text{-}C(i\text{-}Pr)N(2,6\text{-}Me_2C_6H_3)\}]$ (A.M. Barriola, A.M. Cano, T. Cuenca, F.J. Fernández, P. Gómez-Sal, A. Manzanero and P. Royo), 247